AUTHOR INDEX

1979, Volume 13

A

ABELMANN, W. H. *See* PINE, M. B., *et al*

AHUMADA, G. G., BERGMANN, S. R., CARLSON, E., CORR P. B., and SOBEL, B. E. Augmentation of cyclic AMP content induced by lysophosphatidyl choline in rabbit hearts, 377

AMAR, R. *See* MOSKOWITZ, S. E., *et al*

ANDERSON, S. C. *See* TOMANEK, R. J., *et al*

ARANA, R. M. *See* GIMENO, A. L., *et al*

ARBORELIUS, M. *See* MALM, A., *et al*

AUMONT, M. C. *See* MERILLON, J. P., *et al*

B

BACHE, R. J. *See* ROSENFELDT, F. L., *et al*

BAILEY, L. E. *See* MA, T. S., *et al*

BAIN, W. H. *See* TAYLOR, K. M., *et al*

BAKER, J. C. *See* MA, T. S. *et al*

BARNES, G. E., HORWITZ, L. D., and BISHOP, V. S. Reliability of the maximum derivatives of left ventricular pressure and internal diameter as indices of the inotropic state of the depressed myocardium, 652

BATSFORD, W. P. *See* MICHAELSON, S. P., *et al*

BEASLEY, A. B. *See* REYNOLDS, R. D., *et al*

BEATTIE, W. S. *See* FALLEN, E. L., *et al*

BELLAMY, R. F., LOWENSOHN, H. S., and OLSSON, R. A. Factors determining delayed peak flow in canine myocardial reactive hyperaemia, 147

BELLONI, F. L. The local control of coronary blood flow: Review, 63

BENNETT, T., HOSKING, D. J., and HAMPTON, J. R. Cardiovascular responses to lower body negative pressure in normal subjects and in patients with diabetes mellitus, 31

BERESFORD-KROEGER, D. *See* BIRO, G. P., and BERESFORD-KROEGER, D.

BERGMANN, S. R. *See* AHUMADA, G. G., *et al*

BERTRAM, C. D. *See* RAJAGOPALAN, B., *et al*

BHARADWAJ, B. *See* PRASAD, K., *et al*

BING, O. H. L. *See* PINE, M. B., *et al*

BIRO, G. P., and BERESFORD-KROEGER, D. Myocardial blood flow and O_2-supply following dextran-haemodilution and methaemoglobinaemia in the dog, 459

BISHOP, V. S. *See* BARNES, G. E., *et al*

BITTENCOURT, L. A. K. *See* NOGUIERO, E. A., *et al*

BLOOD, D. K. *See* SCIACCA, R. R., *et al*

BORNMYR, S. *See* MALM, A., *et al*

BOWDEN, N. L. R. *See* NEWMAN, D. L., *et al*

BRANDON, C. W. *See* COX, J. W., *et al*

BRANNAN, J. J. *See* TAYLOR, K. M., *et al*

BRENNAN, D. L. *See* SCIACCA, R. R., *et al*

BREST, A. N. *See* WALINSKY, P., *et al*

BRICKNELL, O. L. *See* OPIE, L. H., and BRICKNELL, O. L.

BROOKS, W. W. *See* PINE, M. B., *et al*

BUCHER, P. *See* MENKEN, U., *et al*

BUCKSPAN, G. S. *See* GRAHAM, T. P., *et al*

BUURSMA, A. *See* MOOK, G. A., *et al*

C

CAIRNS, J. A. *See* FALLEN, E. L., *et al*

CANNON, P. J. *See* SCIACCA, R. R., *et al*

CARLSON, E. *See* AHUMADA, G. G., *et al*

CARMELIET, E., and ZAMAN, M. Y. Comparative effects of lignocaine and lorcainide on conduction in the Langendorff-perfused guinea-pig heart, 439

CARVALHAL, S. S. *See* NOGUIERO, E. A., *et al*

CAULFIELD, J. B. *See* PINE, M. B., *et al*

CAVES, P. K. *See* TAYLOR, K. M., *et al*

CAVILL, I. *See* NAPIER, J. A. F., *et al*

CELIS, A. *See* FRIEDMAN, H. S., *et al*

CHAKRABARTI, M. K. *See* MARIN-NETO, J. A., *et al*

CHIBA, S. *See* FURUKAWA, Y., *et al*

CHOE, S.-S. *See* FRIEDMAN, H. S., *et al*

CLAYTON, F. C. *See* PIEPER, G. M., *et al*

COBB, F. R. *See* ROSENFELDT, F. L., *et al*

COGHLAN, J. P. *See* WHITWORTH, J. A., *et al*

COLLIER, J. G. *See* ROBINSON, B. F., *et al*

COLTART, D. J. *See* ROBINSON, P. S., *et al*

CORR, P. B. *See* AHUMADA, G. G., *et al*
KARLSBERG, R. P., *et al*

COSSIO, P. M. *See* GIMENO, A. L., *et al*

COX, J. W., LAUGHTER, J. S., BRANDON, C. W., KELLER, F. W., DOWDIE, R. F., PHILLIPS, H. A., and MIRVIS, D. M. A system oriented electrocardiographic amplifier: Instruments and techniques, 238

CROSS, M. R. *See* WHITTINGTON, J. R., *et al*

CROWTHER, A. *See* ROBINSON, P. S., *et al*

CRYER, P. E. *See* KARLSBERG, R. P., *et al*

D

D'AUBIOUL, J. *See* SMET, F., *et al*

DAVIS, J. W. *See* TOMANEK, R. J., *et al*

DAVIS, M. A. *See* RIBEIRO, L. G. T., *et al*

DENTON, D. A. *See* WHITWORTH, J. A., *et al*

DER LAARSE, A. VAN. *See* VAN DER LAARSE, A.

DER KAMP, A. W. M. VAN. *See* VAN DER KAMP, A. W. M.

DER VALK, L. J. M. VAN *See* VAN DER VALK, L. J. M.

DIEZ, C. *See* GIMENO, A. L., *et al*

DOBBS, R. J. *See* ROBINSON, B. F., *et al*

DOWDIE, R. F. *See* COX, J. W., *et al*

E

EICHBAUM, F. W. *See* YASAKA, W. J., *et al*

ELHARRAR, V. *See* RUFFY, R., *et al*

ELIOT, R. S. *See* PIEPER, G. M., *et al*

ELZINGA, G. *See* HUISMAN, R. M., *et al*

ERATH, H. G. *See* GRAHAM, T. P., *et al*

F

FALLEN, E. L., BEATTIE, W. S., TAIT, G. A., and CAIRNS, J. A. Afterload as a predeterminant of haemodynamics and segmental wall motion following coronary artery occlusion, 127

FARRAR, D. J., GREEN, H. D., and PETERSON, D. W. Noninvasively and invasively measured pulsatile haemodynamics with graded arterial stenosis, 45

FARTHING, S., and PERONNEAU, P. Flow in the thoracic aorta, 607

FASOLAK, W. *See* RITCHIE, D. M., *et al*

FERGUSON, A. G. *See* OGUNRO, E. A., *et al*

FERNANDO, H. A. *See* FRIEDMAN, H. S., *et al*
FISHER, R. D. *See* GRAHAM, T. P., *et al*
FITCHETT, D. H., SCOTT, J., STEPHENS, H. R., and PETERS, T. J. Myocardial subcellular fractionation studies on cardiomyopathic Syrian hamsters, 260
—— WELLS, G., and PETERS, T. J. Analytical subcellular fractionation of the human heart: a comparison of left and right ventricle with hypertrophic obstructive myopathic tissue, 532
FRIEDMAN, H. S., MATSUZAKI, S., CHOE, S.-S., FERNANDO, H. A., CELIS, A., ZAMAN, Q., and LIEBER, C. S. Demonstration of dissimilar acute haemodynamic effects of ethanol and acetaldehyde, 477
FRIEND, J. A. *See* RAJAGOPALAN, B., *et al*
FURUKAWA, Y., KOBAYASHI, M., and CHIBA, S. Effects of temperature on chronotropic and inotropic responses of isolated canine atria to five sympathomimetic amines, 225

G

GARBARSCH, C. *See* MADSEN, J. K., *et al*
GERDING, A. *See* MOOK, G. A., *et al*
GIL, R. L. *See* MALM, A., *et al*
GIMENO, A. L., GIMENO, M. F., STERIN-BORDA, L., COSSIO, P. M., STERIN-SPEZIALE, N., DIEZ, C., SEARA, S. M., and ARANA, R. M. Altered inotropic and chronotropic effects of noradrenaline on isolated rat atria exposed to chagasic sera. Influences of cocaine, normetanephrine and U-0521 (3′-4′-dihydroxy-2-methyl propiophenone), 723
GIMENO, M. F. *See* GIMENO, A. L., *et al*
GOEL, B. G. *See* YOON, M. S., *et al*
GOURGON, R. *See* MERILLON, J. P., *et al*
GRAHAM, T. P., ERATH, H. G., BUCKSPAN, G. S., and FISHER, R. D. Myocardial anaerobic metabolism during isoprenaline infusion in a cyanotic animal model: possible cause of myocardial dysfunction in cyanotic congenital heart disease, 401
GRANGER, D. N. *See* RICHARDSON, P. D. I., *et al*
GREEN, H. D. *See* FARRAR, D. J., *et al*
GREENWALD, S. E. *See* NEWMAN, D. L., *et al*
GREY, A. C. *See* LEWIS, M. J., *et al*
GREITSCHUS, F. *See* WIEGAND, V., *et al*
GROSSMAN, W., MCLAURIN, L. P., and ROLETT, E. L. Alterations in left ventricular relaxation and diastolic compliance in congestive cardiomyopathy, 514
GUGGI, M. *See* WIEGAND, V., *et al*

H

HAMPTON, J. R. *See* BENNETT, T., *et al*
HAN, J. *See* YOON, M. S., *et al*
HARDY, K. J. *See* WHITWORTH, J. A., *et al*
HARPER, R. W., and OLSSON, S. B. Effect of mexiletine on conduction of premature ventricular beats in man: a study using monophasic action potential recordings from the right ventricle, 311
—— —— VARNAUSKAS, E. Effect of mexiletine on monophasic action potentials recorded from the right ventricle in man, 303
HAYLER, A. M. *See* O'KEEFE, B., *et al*
HEARSE, D. J. *See* OGUNRO, E. A., *et al*
HENDERSON, A. H. *See* LEWIS, M. J., *et al*
HENG, M. K. *See* PETER, T., *et al*
HERMENS, W. TH. *See* WILLEMS, G. M., *et al*
HIRATA, Y., KODAMA, I., IWAMURA, N., SHIMIZU, T., TOYAMA J., and YAMADA, K. Effects of verapamil on canine Purkinje fibres and ventricular muscle fibres with particular reference to the alternation of action potential duration after a sudden increase in driving rate, 1
HOLLAAR, L. *See* VAN DER LAARSE, A., *et al*
HOLT, D. W. *See* O'KEEFE, B., *et al*
HOROWITZ, L. D. *See* BARNES, G. E., *et al*
HOSKING, D. J. *See* BENNETT, T., *et al*
HUISMAN, R. M., SIPKEMA, P., WESTERHOF, N., and ELZINGA, G. Wall stress measurements in non-beating canine hearts: application of a method tested in rubber models, 642
HÜTTNER, I. *See* SNIDERMAN, A., *et al*

I

IWAMURA, N. *See* HIRATA, Y., *et al*

J

JENKINS, B. S. *See* ROBINSON, P. S., *et al*
JORGE, P. A. B. *See* NOGUIERO, E. A., *et al*

K

KAMP, A. W. M. VAN DER. *See* VAN DER KAMP, A. W. M.
KARLSBERG, R. P., PENKOSKE, P. A., CRYER, P. E., CORR, P. B., and ROBERTS, R. Rapid activation of the sympathetic nervous system following coronary heart occlusion: relationship to infarct size, site, and haemodynamic impact, 523
KELLER, F. W. *See* COX, J. W., *et al*
KELLIHER, G. J. *See* REYNOLDS, R. D., *et al*
RITCHIE, D. M., *et al*
KESSLER, M. *See* WIEGAND, V., *et al*
KHATTER, J. C. *See* PRASAD, K., *et al*
KLASSEN, G. A., and ZBOROWSKA-SLUIS, D. T. The effect of myocardial force on coronary transmural flow distribution, 365
KOBAYASHI, M. *See* FURUKAWA, Y., *et al*
KODAMA, I. *See* HIRATA, Y., *et al*
KWANT, G. *See* MOOK, G. A., *et al*

L

LAARSE, A. VAN DER. *See* VAN DER LAARSE, A.
LAMBI, F. H. H. *See* WILLEMS, G. M., *et al*
LANMAN, R. B. *See* OGUNRO, E. A., *et al*
LAUGHTER, J. S. *See* COX, J. W., *et al*
LECARPENTIER, Y. *See* MERILLON, J. P., *et al*
LEE, G. DE J. *See* RAJAGOPALAN, B., *et al*
LESCH, M. *See* OGUNRO, E. A., *et al*
LEWIS, B. S. *See* MOSKOWITZ, S. E., *et al*
LEWIS, M. J., GREY, A. C., and HENDERSON, A. H. Determinants of hypoxic contracture in isolated heart muscle preparations, 86, erratum 606
LIEBER, C. S. *See* FRIEDMAN, H. S., *et al*
LILJA, B. *See* MALM, A., *et al*
LINDEMANS, F. W., and ZIMMERMAN, A. N. E. Acute voltage, charge, and energy thresholds as functions of electrode size for electrical stimulation of the canine heart, 383
LOUIE, E. K. *See* RIBEIRO, L. G. T., *et al*
LOWENSOHN, H. S. *See* BELLAMY, R. F., *et al*

LUND, D. D., TWIETMEYER, T. A., SCHMID, P. G., and TOMANEK, R. J. Independent changes in cardiac muscle fibres and connective tissue in rats with spontaneous hypertension, aortic constriction, and hypoxia, 39

M

MA, T. S., and BAILEY, L. E. Excitation-contraction coupling in normal and myopathic hamster hearts, I. Identification of a calcium pool involved in contraction, 487, II. Changes in contractility and Ca pools associated with development of the cardiomyopathy, 499

—— BAKER, J. C., and BAILEY, L. E. Excitation-contraction coupling in normal and myopathic hamster hearts III: functional deficiencies in interstitial glycoproteins, 568

MCLAURIN, L. P. *See* GROSSMAN, W., *et al*

MACMILLAN, A. *See* RITCHIE, D. M., *et al*

MADSEN, J. K., GARBARSCH, C., and NIELSEN, P. E. Endothelial injury of arteries following catherisation with polyethylene tubes: experimental studies on rabbit aorta using the Seldinger technique, 541

MALM, A., ARBORELIUS, M., LILJA, B., GIL, R. L., and BORNMYR, S. Effects of nitroglycerin and dipyridamole on acute myocardial infarction: a thermographic study in the dog, 281

MANDEL, W. J. *See* YAMAGUCHI, I., *et al*

MANSUKHANI, S. *See* RITCHIE, D. M., *et al*

MARIN, J. L. B. *See* MARIN-NETO, J. A., *et al*

MARIN-NETO, J. A., SYKES, M. K., MARIN, J. L. B., ORCHARD, C., and CHAKRABARTI, M. K. Effects of heparin and protamine on left ventricular perfomance in the dog, 254

MAROKO, P. R. *See* RIBEIRO, L. G. T., *et al*

MASON, D. T. *See* SEGEL, L. D., *et al*

MASQUET, C. *See* MERILLON, J. P., *et al*

MATSUZAKI, S. *See* FRIEDMAN, H. S., *et al*

MEDD, R. K. *See* O'KEEFE, B., *et al*

MEESMAN, W. *See* MENKEN, U., *et al*
WIEGAND, V., *et al*

MENKEN, U., WIEGAND, V., BUCHER, P., and MEESMANN, W. Prophylaxis of ventricular fibrillation after acute experimental coronary occlusion by chronic beta-adrenoceptor blockade with atenolol, 588

MERILLON, J. P., MOTTE, G., AUMONT, M. C., MASQUET, C., LECARPENTIER, Y., and GOURGON, R. Post-extrasystolic left ventricular peak pressure with and without left ventricular failure, 338

MICHAELSON, S. P., BATSFORD, W. P., and ZARET, B. L. Dissociation of effects of nitroglycerin on regional refractoriness and regional myocardial blood flow following acute coronary occlusion, 407

MICKLEBOROUGH, L. *See* SNIDERMAN, A., *et al*

MILO, S. *See* MOSKOWITZ, S. E., *et al*

MIRVIS, D. M. *See* COX, J. W., *et al*

MOOK, G. A., BUURSMA, A., GERDING, A., KWANT, G., and ZIJLSTRA, W. G. Spectrophotometric determination of oxygen saturation of blood independent of the presence of indocyanine green: Instruments and techniques, 233

MORTON, I. J. *See* TAYLOR, K. M., *et al*

MOSKOWITZ, S. E., LEWIS, B. S., MILO, S., and AMAR, R. Selection of saphenous vein bypass graft diameter to support patency of the stenosed coronary artery, 370

MOTTE, G. *See* MERILLON, J. P., *et al*

MUIJTJENS, A. M. M. *See* WILLEMS, G. M., *et al*

MUIR, W. W. *See* RUMBERGER, J. A., *et al*

MULVANEY, D. A., and SERONDE, J. Electrocardiographic changes in vitamin B_6 deficient rats, 506

MURRAY, A. *See* VELLANI, C. W., *et al*

N

NAPIER, J. A. F., CAVILL, I., and RICKET, C. Measurement of haemolysis in patients with prosthetic heart valves, 663

NAUTA, J. *See* VAN DER KAMP, A. W. M., and NAUTA, J.

NEILSON, J. M. *See* VELLANI, C. W., *et al*

NEREM, R. M. *See* RUMBERGER, J. A., *et al*

NETO, J. A. MARIN *See* MARIN-NETO, J. A.

NEWMAN, D. L., GREENWALD, S. E., and BOWDEN, N. L. R. An *in vivo* study of the total occlusion method for the analysis of forward and backward pressure waves, 595

NIELSEN, P. E. *See* MADSEN, J. K., *et al*

NOBLE, M. I. M. Left ventricular load, arterial impedance and their interrelationship: Review, 183

NOGUEIRA, E. A., CARVALHAL, S. S., JORGE, P. A. R., BITTENCOURT, L. A. K., and TERZI, R. G. Sequence of shortening of the normal human left ventricle, 703

NORRIS, R. M. *See* PETER, T., *et al*

O

O'CONNOR, W. J., and SUMMERILL, R. A. Sodium excretion in normal conscious dogs, 22

OGA, S. *See* YASAKA, W. J., *et al*

OGUNRO, E. A., LANMAN, R. B., SPENCER, J. R., FERGUSON, A. G., and LESCH, M. Degradation of canine cardiac myosin and actin by cathepsin D isolated from homologous tissue, 621

OGUNRO, E. A., PETERS, T. J., WELLS, G., and HEARSE, D. J. Sub-mitochondrial and sub-microsomal distribution of creatine kinase in guinea pig myocardium, 562

O'KEEFE, B., HAYLER, A. M., HOLT, D. W., and MEDD, R. K. Cardiac consequences and treatment of disopyramide intoxication: experimental evaluation in dogs, 630

OLSSON, R. A. *See* BELLAMY, R. F., *et al*

OLSSON, S. B. *See* HARPER, R. W., and OLSSON, S. B.
HARPER, R. W., *et al*

ORCHARD, C. *See* MARIN-NETO, J. A., *et al*

OPIE, L. H., and BRICKNELL, O. L. Role of glycolytic flux in effect of glucose in decreasing fatty-acid-induced release of lactate dehydrogenase from isolated coronary ligated rat heart, 693

P

PENKOSKE, P. A. *See* KARLSBERG, R. P., *et al*

PENPARGKUL, S. Effects of adenine nucleotides on calcium binding by rat heart sarcoplasmic reticulum, 243

PERONNEAU, P. *See* FARTHING, S., and PERONNEAU, P.

PETER, T., NORRIS, R. M., HENG, M. K., and SAMMEL, N. L. Regional ^{99m}technetium diphosphonate uptake in experimental dog heart infarcts: relation to duration and severity of ischaemia, 635

PETERS, T. J. *See* FITCHETT, D. H., *et al*
OGUNRO, E. A., *et al*

PETERSON, D. W. *See* FARRAR, D. J., *et al*

PHILLIPS, H. A. *See* COX, J. W., *et al*

PIEPER, G. M., CLAYTON, F. C., TODD, G. L., and ELIOT, R. S. Temporal changes in endocardial energy metabolism following propranolol and the metabolic basis for protection against isoprenaline cardiotoxicity, 207

PINE, M. B., CAULFIELD, J. B., BING, O. B. L., BROOKS, W. W., and ABELMANN, W. H. Resistance of contracting myocardium to swelling with hypoxia and glycolytic blockade, 215

POIRIER, N. *See* SNIDERMAN, A., *et al*

PRASAD, K., KHATTER, J. C., and BHARADWAJ, B. Intra- and extracellular electrolytes and sarcolemmal ATPase in the failing heart due to pressure overload in dogs, 95

R

RAFTERY, E. B. *See* WHITTINGTON, J. R., *et al*

RAJAGOPALAN, B., BERTRAM, C. D., STALLARD, T., and LEE, G. DE J. Blood flow in pulmonary veins: III. Simultaneous measurements of their dimensions, intravascular pressure and flow, 684

—— FRIEND, J. A., STALLARD, T., and LEE, G. DE J. Blood flow in pulmonary veins: I. Studies in dog and man, 667, II. The influence of events transmitted from right and left sides of the heart, 677

RENDIG, S. V. *See* SEGEL, L. D., *et al*

RENEMAN, R. S. *See* SMET, F. *et al*

REYNOLDS, R. D., KELLIHER, G. J., RITCHIE, D. M., ROBERTS, J., and BEASLEY, A. B. Comparison of the arrhythmogenic effect of myocardial infarction in the cat and dog, 152

RIBEIRO, L. G. T., LOUIE, E. K., DAVIS, M. A., and MAROKO, P. R. Augmentation of collateral blood flow to the ischaemic myocardium by oxygen inhalation following experimental coronary artery occlusion, 160

RICHARDSON, P. D. I., GRANGER, D. N., and TAYLOR, A. E. Capillary filtration coefficient: the technique and its application to the small intestine: Review 547

RICKET, C. *See* NAPIER, J. A. F., *et al*

RITCHIE, D. M., KELLIHER, G. J., MACMILLAN, A., FASOLAK, W., ROBERTS, J., and MANSUKHANI, S. The cat as a model for myocardial infarction, 199

ROBERTS, J. *See* REYNOLDS, R. D., *et al*
RITCHIE, D. M., *et al*

ROBERTS, R. *See* KARLSBERG, R. P., *et al*

ROBINSON, B. F., COLLIER, J. G., and DOBBS, R. J. Comparative dilator effect of verapamil and sodium nitroprusside in forearm arterial bed and dorsal hand veins in man: functional differences between vascular smooth muscle in arterioles and veins, 16

—— *See also* REYNOLDS, R. D., *et al*

ROBINSON, P. S., CROWTHER, A., JENKINS, B. S., WEBB-PEPLOE, M. M., and COLTART, D. J. A computerised dichromatic earpiece densitometer for the measurement of cardiac output: Instruments and technique, 420

ROLETT, E. L. *See* GROSSMAN, W., *et al*

ROSENFELDT, F. L., COBB, F. R., BACHE, R. J., and SABISTON, D. C. Effect of increases in afterload before and after coronary occlusion in awake dogs, 392

ROZENSHTRAUKH, L. V. *See* RUFFY, R., *et al*

RUFFY, R., ROZENSHTRAUKH, L. V., ELHARRAR, V., and ZIPES, D. P. Electrophysiological effects of ethmozin on canine myocardium, 354

RUMBERGER, J. A., NEREM, R. M., and MUIR, W. W. Coronary artery pressure development and wave transmission characteristics in the horse, 413

S

SABISTON, D. C. *See* ROSENFELDT, F. L., *et al*

SAMMEL, N. L. *See* PETER, T., *et al*

SANTAMORE, W. P. *See* WALINSKY, P., *et al*

SCHMID, P. G. *See* LUND, D. D., *et al*

SCIACCA, R. R., WEISS, M. B., BLOOD, D. K., BRENNAN, D. L., and CANNON, P. J. Comparison of regional myocardial blood flow measurements with ^{133}Xe and radioactive microspheres in dogs with coronary artery constrictions, 330

SCOGGINS, B. A. *See* WHITWORTH, J. A., *et al*

SCOTT, J. *See* FITCHETT, D. H., *et al*

SEGEL, L. D., RENDIG, S. V., and MASON, D. T. Left ventricular dysfunction of isolated working rat hearts after chronic alcohol consumption, 136

SEARA, S. M. *See* GIMENO, A. L., *et al*

SERONDE, J. *See* MULVANEY, D. A., and SERONDE, J.

SHIMIZU, T. *See* HIRATA, Y., *et al*

SINGH, B. N. *See* YAMAGUCHI, I., *et al*

SIPKEMA, P. *See* HUISMAN, R. M., *et al*

SMET, E., D'AUBIOUL, J., VAN GERVEN, W., XHONNEUX, R., and RENEMAN, R. S. A chronically implantable catheter-tip micromanometer (JSI 0400) that can be calibrated after implantation; Instruments and techniques, 601

SNIDERMAN, A., MICKLEBOROUGH, L., HÜTTNER, I., POIRIER, N., and SYMES, J. Fallibility of the epicardial electrocardiogram in quantitation of myocardial necrosis, 274

SOBEL, B. E. *See* AHUMADA, G. G., *et al*

SPENCER, J. R. *See* OGUNRO, E. A., *et al*

STALLARD, T. *See* RAJAGOPALAN, B., *et al*

STEPHENS, H. R. *See* FITCHETT, D. H., *et al*

STERIN-BORDA, L. *See* GIMENO, A. L., *et al*

STERIN-SPEZIALE, N. *See* GIMENO, A. L., *et al*

SUMMERHILL, R. A. *See* O'CONNOR, W. J., and SUMMERHILL, R.A.

SYKES, M. K. *See* MARIN-NETO, J. A., *et al*

SYMES, J. *See* SNIDERMAN, A., *et al*

T

TAIT, G. A. *See* FALLEN, E. L., *et al*

TAYLOR, A. E. *See* RICHARDSON, P. D. I., *et al*

TAYLOR, K. M., BRANNAN, J. J., BAIN, W. H., CAVES, P. K., and MORTON, I. J. Role of angiotensin II in the development of peripheral vasoconstriction during cardiopulmonary bypass, 269

TERZI, R. G. *See* NOGUEIRA, E. A., *et al*

TODD, G. L. *See* PIEPER, G. M., *et al*

TOMANEK, R. J., DAVIS, J. W., and ANDERSON, S. C. The effects of alpha-methyldopa on cardiac hypertrophy in spontaneously hypertensive rats: ultrastructural, stereological, and morphometric analysis, 173

—— *See also* LUND, D. D., *et al*

TOYAMA, J. *See* HIRATA, Y., *et al*

TUCKER, A. Pulmonary and systemic vascular responses to hypoxia after chemical sympathectomy, 469

TWIETMEYER, T. A. *See* LUND, D. D., *et al*

V

VALK, L. J. M., VAN DER *See* VAN DER VALK, L. J. M.

VAN DER KAMP, A. W. M., and NAUTA, J. Fibroblast function and the maintenance of the aortic-valve matrix, 167

VAN DER LAARSE, A., HOLLAAR, L., and VAN DER VALK, L. J. M. Release of alpha hydroxybutyrate from neonatal rat heart cell cultures exposed to anoxia and reoxygenation: comparison with impairment of structure and function of damaged cardiac cells, 345

VAN DER VALK, L. J. M. *See* VAN DER LAARSE, A., *et al*

VAN GERVEN, W. *See* SMET, F., *et al*

VARNAUSKAS, E. *See* HARPER, R. W., *et al*

VELLANI, C. W., MURRAY, A., and NEILSON, J. M. Coupling interval, exit block, and periodicity of ventricular parasystolic rhythm, 320

W

WALINSKY, P., SANTAMORE, W. P., WIENER, L., and BREST, A. N. Dynamic changes in the haemodynamic severity of coronary artery stenosis in a canine model, 113

WEBB-PEPLOE, M. M. *See* ROBINSON, P. S., *et al*

WEISS, M. B. *See* SCIACCA, R. R., *et al*

WELLS, G. *See* FITCHETT, D. H., *et al*
OGUNRO, E. A., *et al*

WESTERHOF, N. *See* HUISMAN, R. M., *et al*
WEXLER, B. C. Opposing effects of deoxycorticosterone and spironolactone on isoprenaline-induced myocardial infarction, 119
—— Isoprenaline-induced myocardial infarction in spontaneously hypertensive rats, 430
WHITTINGTON, J. R., CROSS, M. R., and RAFTERY, E. B. An effective conscious animal model of atrial fibrillation, 105
WHITWORTH, J. A., COGHLAN, J. P., DENTON, D. A., HARDY, K. J., and SCOGGINS, B. A. Effect of sodium loading and ACTH on blood pressure of sheep with reduced renal mass, 9
WIEGAND, V., GUGGI, M., MEESMANN, W., KESSLER, M., and GREITSCHUS, F. Extracellular potassium activity changes in the canine myocardium after acute coronary occlusion and the influence of beta-blockade, 297
—— *See also* MENKEN, U., *et al*
WIENER, L. *See* WALINSKY, P., *et al*
WILLEMS, G. M., MUIJTJENS, A. M. M., LAMBI, F. H. H., and HERMENS, W.TH. Estimation of circulatory parameters in patients with acute myocardial infarction. Significance for calculation of enzymatic infarct size, 578

X

XHONNEUX, R. *See* SMET, F., *et al*

Y

YAMADA, K. *See* HIRATA, Y., *et al*
YAMAGUCHI, I., SINGH, B. N., and MANDEL, W. J. Electrophysiological actions of mexiletine on isolated rabbit atria and canine ventricular muscle and Purkinje fibres, 288
YASAKA, W. J., EICHBAUM, F. W., and OGA, S. Antiarrhythmic effects of solvents, II. Effects of propylene glycol and benzyl alcohol on the effective refractory period of isolated rabbit atria, 711, III. Effects of propylene glycol and benzyl alcohol on contractile force of isolated rabbit heart, 717
YOON, M. S., GOEL, B. G., and HAN, J. Effects of methylprednisolone on ventricular arrhythmias during acute myocardial ischaemia, 58

Z

ZAMAN, M. Y. *See* CARMELIET, E., and ZAMAN, M. Y.
ZAMAN, Q. *See* FRIEDMAN, H. S., *et al*
ZARET, B. L. *See* MICHAELSON, S. P., *et al*
ZBOROWSKA-SLUIS, D. T. *See* KLASSEN, G. A., and ZBOROWSKA-SLUIS, D. T.
ZIJLSTRA, W. G. *See* MOOK, G. A., *et al*
ZIMMERMAN, A. N. E. *See* LINDEMANS, F. W., *et al*
ZIPES, D. P. *See* RUFFY, R., *et al*

SUBJECT INDEX

1979, Volume 13

A

Abbreviations, general, 436
— journals, 435
Acetaldehyde and ethanol, haemodynamic effects, 477
ACTH and sodium loading, effect on blood pressure of sheep with reduced renal mass, 9
Actin, and myosin, cardiac, degradation by cathepsin D isolated from homologous tissue, 621
Action potential duration, effects of verapamil on alternation, 1
— — monophasic, effect of mexiletine, 303, 311
ACTIVITIES, 242, 364, 733
Adenine nucleotides, effect on calcium binding by rat heart sarcoplasmic reticulum, 243
Afterload as a predeterminant of haemodynamics and segmental wall motion following coronary artery oclusion, 127
Alcohol-induced cardiac dysfunction, 136
Amines, sympathetic, effects of temperature on chronotropic and inotropic responses of isolated canine atria, 225
Ampifier, ECG, system oriented: Instruments and techniques, 238
Angiotensin II, role, in development of peripheral vasoconstriction during cardiopulmonary bypass, 269
Anoxia, release of alpha hydroxybutyrate dehydrogenase from heart cell cultures after, rat, 345
Aorta, thoracic, blood flow, 607
Aortic-valve matrix, maintenance, and fibroblast function, 167
Arrhythmia, delayed, in myocardial infarction, comparison in cat and dog, 152
Arterial impedance, left ventricular load, and their interrelationship: Review, 183
Artery stenosis, coronary, dynamic changes in haemodynamic severity, canine model, 113
— — graded, noninvasively and invasively measured pulsatile haemodynamics with, 45
Atenolol, in prophylaxis of ventricular fibrillation, 588
ATPase, sarcolemmal, and cardiac electrolytes in failing heart due to pressure overload in dogs, 95
Atrial fibrillation, effective conscious animal model of, 105
Authors, instructions, 429

B

Beta-blockade, influence on potassium activity after coronary occlusion, 297
Blood flow, collateral, and oxygen inhalation, 160
— — coronary, local control: Review, 63
— — coronary transmural distribution, effect of myocardial force, 365
— — myocardial, comparison of measurements with ^{133}Xe and radioactive microspheres in coronary artery constrictions, dogs, 330
— — and O_2-supply, myocardial following dextran-haemodilution and methaemoglobinaemia, dog, 459
— — peak, delayed, factors determining in canine myocardial reactive hyperaemia, 147
— — pulmonary veins, I. Studies in dog and man, 667, II. Influence of events transmitted from the right and left sides of the heart, 677, III. Simultaneous measurements of their dimensions, intravascular pressure and flow, 684
— — in the thoracic aorta, 607
— pressure, effect of sodium loading and ACTH on, sheep with reduced renal mass, 9
BOOK REVIEWS:
ANDERSON, R.H., and SHINEBOURNE, E. A.: Paediatric cardiology, 1977, 242
CARO, C. G., PEDLEY, T. J., and SHROTER, R. C.: The mechanics of circulation, 666
JULIAN, D. G. Cardiology, 3rd ed., 62
KEITH, J. D., ROWE, R. D., and VLAD, P.: Heart disease in infancy and childhood, 3rd ed., 606
OLIVER, M. F., *editor*. Coronary heart disease in young women, 62
PERRY, H. M. Jr., and SMITH, W. M., *editors*. Annals of the New York Academy of Sciences, Vol. 304—Mild hypertension: to treat or not to treat, 62
RICH, N. M., and SPENCER, F. C. Vascular trauma, 364
SCULLY, M. F., and KAKKAR, V. V., *editors:* Chromogenic peptide substrates: chemistry and clinical usage, 666
WHO: Cerebrovascular disorders: a clinical and research classification, 606
Bypass surgery, saphenous vein graft diameter, selection, to support patency of the stenosed coronary artery, 370

C

Calcium binding by rat heart sarcoplasmic reticulum, effects of adenine nucleotides, 243
— pool, excitation-contraction coupling in normal and myopathic hamster hearts, I. Identification of a Ca pool involved in contraction, 487, II. Changes in contractility and Ca pools associated with development of the cardiomyopathy, 499, III. Functional deficiencies in interstitial glycoproteins, 568
Capillary filtration coefficient: the technique and its application to the small intestine: Review, 547
Cardiac output, computerised dichromatic earpiece densitometer for measurement: Instruments and techniques, 420
Cardiomegaly, collagen contribution, 39
Cardiomyopathy, congestive, alterations in left ventricular relaxation and diastolic compliance in, 514
— excitation-contraction, *see* Excitation-contraction
— hypertrophic obstructive, analytical subcellular fractionation of left and right ventricular tissue, 532
— myocardial subcellular fractionation studies in, 260
Cardiopulmonary bypass, vasoconstriction during, and angiotensin II, 269
Cathepsin D, isolated from homologous tissue, degradation of canine cardiac myosin and actin by, 621
Catheter-tip micromanometer (JSI 0400), chronically implantable that can be calibrated after implantation: Instruments and techniques, 601
Catheterisation with polyethylene tubes, endothelial injury of rabbit aorta using Seldinger technique, 541
Chagasic sera, effect of noradrenaline on rat atria exposed to, 723
Collagen contribution to cardiomegaly, 39
Conduction, comparative effects of lignocaine and lorcainide on, in Langendorff-perfused guinea-pig heart, 439
— premature left ventricular beats, effect of mexiletine, 311
Contractility of depressed myocardium, indices, 652

Contracture, hypoxic, determinants, in isolated heart muscle preparations, 86
Coronary artery pressure development and wave transmission characteristics, horse, 413
— — occlusion, augmentation of collateral blood flow to ischaemic myocardium by O_2 inhalation, 160
— — — afterload as predeterminant of haemodynamics and segmental wall motion following, 127
— — — occlusion, extracellular potassium activity in myocardium, influence of beta-blockade, 297
— — — nitroglycerin effects on refractoriness and flow following, 407
— — — ventricular function curves before and after, in awake dogs, 392
— — — *see also* Myocardial infarction
Creatine kinase, sub-mitochondrial and sub-microsomal distribution in guinea-pig myocardium, 562
Cyanotic congenital heart disease, myocardial dysfunction in, relationship to myocardial anaerobic metabolism during isoprenaline infusion in cyanotic model, 401
Cyclic AMP content, augmentation induced by lysophosphatidyl choline, rabbit hearts, 377

D

Deoxycorticosterone and spironolactone, opposing effects on isoprenaline-induced myocardial ischaemia, 119
Dextran-haemodilution and methaemoglobinaemia, myocardial blood flow and O_2-supply following, dog, 459
Diastolic compliance and left ventricular relaxation, alterations in congestive cardiomyopathy, 514
Diphosphonate, ^{99m}technetium, regional uptake in experimental dog hearts infarcts, relation to duration and severity of ischaemia, 635
Dipyridamole and nitroglycerin, effects on acute myocardial infarction, thermography study, 281
Disopyramide intoxication, cardiac consequences and treatment, dogs, 630

E

Earpiece densitometer, computerised dichromatic, for measurement of cardiac output: Instruments and techniques, 420
EDITORIAL: Changes in style (references to be cited according to the Vancouver agreement), 427
Electrocardiograms, fallibility in quantitation of myocardial necrosis, 274
Electrocardiographic amplifier, system oriented: Instruments and techniques, 238
— changes in vitamin B_6 deficient rats, 506
Electrode size, for electrical stimulation, acute voltage, charge and energy thresholds as functions of, 383
Electrolytes, intra- and extracellular, and ATPase in failing heart due to pressure overload in dogs, 95
Ethanol and acetaldehyde, haemodynamic effects, 477
Ethmozin, electrophysiological effects on canine myocardium, 354
Excitation-contraction coupling in normal and myopathic hamster hearts, I. Identification of a calcium pool involved in contraction, 487, II. Changes in contractility and Ca pools associated with development of the cardiomyopathy, 499, III. Functional deficiencies in interstitial glycoproteins, 568

F

Fibrillation, ventricular, *see* Ventricular fibrillation
Fibroblast function and maintenance of aortic-valve matrix, 167
Fractionation, myocardial subcellular, in cardiomyopathy, 260

G

Glucose, effects in reducing the fatty-acid-induced LDH release from rat heart, 693
Glycolytic flux and lactate dehydrogenase release from rat heart, 693

H

Haemodynamics, pulsatile, with graded arterial stenosis, 45
Haemolysis, measurement, patients with heart valve prostheses, 663
Heparin and protamine, effects on left ventricular performance, dog, 254
α-Hydroxybutyrate dehydrogenase, release from neonatal rat heart cells exposed to anoxia and reoxygenation, 345
Hypertension, spontaneous, effects of alpha-methyldopa on cardiac hypertrophy, 173
— — and isoprenaline-induced myocardial infarction, rats, 450
Hypertrophy, cardiac, in spontaneous hypertension, effects of alpha-methyldopa, 173
Hypoxia, cardiovascular responses to after 6-OHDA, 469
Hypoxic contracture, determinants, in isolated heart muscle preparations, 86

I

Indocyanine green, oxygen saturation of the blood with: Instruments and techniques, 233
Infarct size, fallibility of epicardial ECG, 274
— — enzymatic, and circulatory parameters, 578
— — site and haemodynamic impact, relationship to myocardial infarction and adrenergic activity, 523
— — *see also* Myocardial infarction
INSTRUCTIONS TO AUTHORS, 429
INSTRUMENTS AND TECHNIQUES: A chronically implantable catheter-tip micromanometer (JSI 0400) that can be calibrated after implantation, 601
A computerised dichromatic earpiece densitometer for the measurement of cardiac output, 420
A system oriented electrocardiographic amplifier, 238
Spectrophotometric determination of oxygen saturation of blood independent of the presence on indocyanine green, 233
Intestine, small, application of capillary filtration coefficient technique: Review, 547
Ischaemia, relation of diphosphonate uptake to duration and severity, 635
— myocardial, effects of methylprednisolone on ventricular arrhythmias during, 58
— — *see also* Myocardial infarction
Isoprenaline cardiotoxicity, metabolic basis for protection against and propanolol pretreatment, 207
— -induced myocardial infarction, opposing effects of deoxycorticosterone and spironolactone, 119
— infusion in cyanotic model, myocardial anaerobic metabolism during, possible cause of myocardial dysfunction in cyanotic congenital heart disease, 401

L

Lactate dehydrogenase release, fatty-acid-induced, from rat heart, role of glycolytic flux in effect of glucose in decreasing, 693
Lignocaine and lorcainide, comparative effects on conduction on Langendorff-perfused guinea-pig heart, 439

Load, left ventricular, arterial impedance and their interrelationship: Review, 183
Lorcainide and lignocaine, comparative effects on conduction in Langendorff-perfused guinea-pig heart, 439
Lower body negative pressure, cardiovascular responses in normal subjects and diabetic patients, 31
— *see also* Pressures
Lysophosphatidyl choline, augmentation of cyclic AMP induced by, rabbit hearts, 377

M

Measurements, standard units, 436
Methaemoglobinaemia, and dextran-haemodilution, myocardial blood flow and O_2-supply following, dog, 459
α-Methyldopa, effects on cardiac hypertrophy in spontaneous hypertension, 173
Methylprednisolone, effects on ventricular arrhythmias during acute myocardial ischaemia, 58
Mexiletine, effect on conduction of premature ventricular beats, 311
— effect on monophasic action potentials, 303
— electrophysiological actions on isolated cardiac muscle, 288
Micromanometer, catheter-tip (JSI 0400) that can be calibrated after implantation: Instruments and techniques, 601
Myocardial anaerobic metabolism during isoprenaline infusion in cyanotic model, possible cause of myocardial dysfunction in cyanotic congential heart disease, 401
— infarction and adrenergic activity, relationship to infarct size, site and haemodynamic impact, 523
— — cat as a model, 199
— — comparison of arrhythmogenic effect in cat and dog, 152
— — effects of nitroglycerin and dipyridamole, thermography study, 281
— — estimation of circulatory parameters, and calculation of enzymatic infarct size, 578
— — isoprenaline-induced, in spontaneously hypertensive rats, 450
— — — — opposing effects of deoxycorticosterone and spironolactone, 119
— — *see also* Coronary artery occlusion
— reactive hyperaemia, factors determining delayed peak flow, dogs, 147
Myocardium, contracting, resistance to swelling with hypoxia and glycolytic blockade, 215
— depressed, indices of contractility, 652
Myosin, and actin, cardiac, degradation by cathepsin D isolated from homologous tissue, 621

N

Nitroglycerin and dipyridamole, effects on acute myocardial infarction, thermographic study, 281
— effects on refractoriness and flow, 407
Noradrenaline, altered inotropic and chronotropic, effects on rat atria exposed to chagasic sera, 723
— *see also* Amines, sympathetic

O

Oxygen inhalation and augmentation of collateral blood flow to ischaemic myocardium following coronary artery occlusion, 160
— saturation of blood independent of the presence of indocyanine green: Instruments and techniques, 233
— supply and blood-flow, myocardial, following dextran-haemodilution and methaemoglobinaemia, dog, 459

P

Post-extrasytolic left ventricular peak pressure with and without left ventricular failure, 338
Potassium activity changes in myocardium after acute coronary occlusion, influence of beta-blockade, 297
Protamine and heparin, effects on left ventricular performance, dog, 254
Pressure, lower body negative, cardiovascular responses in normal subjects and diabetic patients, 31
— waves, forward and backward, *in vivo* study of total occlusion method for analysis, 595
— *see also* Post-extrasystolic left ventricular peak pressure
Propranolol, temporal changes in endocardial energy metabolism following, and metabolic basis for protection against isoprenaline cardiotoxicity, 207
Pulmonary veins, blood flow, I. Studies in dog and man, 667, II. Influence of events transmitted from the right and left sides of the heart, 677, III. Simultaneous measurements of their dimensions, intravascular pressure and flow, 684

R

References in *Cardiovascular Research* to be cited according to be cited according to Vancouver agreement, 427
Reoxygenation, release of alpha hydroxybutyrate dehydrogenase from heart cell cultures after, rat, 345
REVIEW ARTICLES: Capillary filtration coefficient: the technique and its application to the small intestine, 547
Left ventricular load, arterial impedance and their interrelationship, 183
The local control of coronary blood flow, 63

S

Saphenous vein bypass graft diameter, selection, to support patency of stenosed coronary artery, 370
Sarcoplasmic reticulum, calcium binding, effects of adenine nucleotides on, 243
Seldinger technique, endothelial injury of rabbit aorta following catheterisation using, 541
Sodium excretion in normal conscious dogs, 22
— loading and ACTH, effect on blood pressure of sheep with reduced renal mass, 9
— nitroprusside and verapamil, in human arterioles and veins, 16
Solvents, antiarrhythmic effects, II. On effective refractory period, 711, III. On cardiac contraction, 717
Spironolactone and deoxycorticosterone, opposing effects of isoprenaline-induced myocardial infarction, 119
Statistical terms, 436
Stenosis, *see* Artery stenosis
Stress measurements, left ventricular wall, non-beating canine hearts, 642
Subfractionation, analytical of heart tissue, 532
Sympathectomy, pulmonary and systemic vascular responses to hypoxia after, 469

T

Temperature, effect on chronotropic and inotropic responses of isolated canine atria to five sympathetic amines, 225
Thoracic aorta, blood flow, 607

V

Valve replacements, measurement of haemolysis, 663
Vancouver agreement, and new style for citing references to be adopted by *Cardiovascular Research*, 427
Vasoconstriction during cardiopulmonary bypass, and angiotensin II, 269
Ventricular arrhythmias, during acute myocardial ischaemia, effects of methylprednisolone, 58
— dysfunction, left, isolated working rat hearts after chronic alcohol consumption, 136
— failure, left, post-extrasystolic left ventricular peak pressure with and without, 338
— fibrillation, prophylaxis with atenolol, 588
— function curves in awake dogs, 392
— left, load, and arterial impedance, and their relationship: Review, 183
— — performance, effects of heparin and protamine, 254
— — relaxation, and diastolic compliance, alterations, in congestive cardiomyopathy, 514
— — sequence of shortening, human, 703
— — wall, stress measurements, application of method tested in rubber models, 642
— parasystolic rhythm, coupling interval, exit block, and periodicity, 320
Verapamil, effects on alternation of action potential duration, 1
— and sodium nitroprusside in human arterioles and veins, 16
Vitamin B_6 deficient rats, ECG changes, 506

CARDIOVASCULAR RESEARCH

EDITOR
R. J. LINDEN

ASSISTANT EDITOR
D. A. S. G. MARY

A. M. BARRETT
D. H. BERGEL
M. V. BRAIMBRIDGE
D. L. BRUTSAERT
B. FOLKOW
D. M. KRIKLER
T. D. V. LAWRIE
P. W. MACFARLANE
A. MASERI
C. MILLS
J. H. MITCHELL
W. G. NAYLER
M. I. M. NOBLE
W. SCHAPER
P. SLEIGHT
E. M. VAUGHAN WILLIAMS

EDITOR *British Heart Journal*
EDITOR *British Medical Journal*
TECHNICAL EDITOR ANN NORRIS

VOLUME 13, 1979

LONDON · BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE W.C.1

CONTENTS

No. 1 JANUARY, 1979

Effects of verapamil on canine Purkinje fibres and ventricular muscle fibres with particular reference to the alternation of action potential duration after a sudden increase in driving rate: Yukio Hirata, Itsuo Kodama, Nobuyuki Iwamura, Takeshi Shimizu, Junji Toyama, and Kazuo Yamada 1

Effect of sodium loading and ACTH on blood pressure of sheep with reduced renal mass: Judith A. Whitworth, John P. Coghlan, Derek A. Denton, Kenneth J. Hardy, and Bruce A. Scoggins 9

Comparative dilator effect of verapamil and sodium nitroprusside in forearm arterial bed and dorsal hand veins in man: functional differences between vascular smooth muscle in arterioles and veins: B. F. Robinson, J. G. Collier, and R. J. Dobbs . 16

Sodium excretion in normal conscious dogs: W. J. O'Connor, and R. A. Summerill . 22

Cardiovascular responses to lower body negative pressure in normal subjects and in patients with diabetes mellitus: T. Bennett, D. J. Hosking, and J. R. Hampton . 31

Independent changes in cardiac muscle fibres and connective tissue in rats with spontaneous hypertension, aortic constriction, and hypoxia: Donald Lund, T. Alan Twietmeyer, Phillip G. Schmid, and Robert J. Tomanek 39

Noninvasively and invasively measured pulsatile haemodynamics with graded arterial stenosis: David J. Farrar, Harold D. Green, and Darwin W. Peterson . . 45

Effects of methylprednisolone on ventricular arrhythmias during acute myocardial ischaemia: Myung S. Yoon, Brij G. Goel, and Jaok Han 58

Book Reviews 62

No. 2 FEBRUARY, 1979

REVIEW: The local control of coronary blood flow: Francis L. Belloni . . . 63

Determinants of hypoxic contracture in isolated heart muscle preparations: M. J. Lewis, A. C. Grey, and A. H. Henderson 86

Intra- and extracellular electrolytes and sarcolemmal ATPase in the failing heart due to pressure overload in dogs: K. Prasad, J. C. Khatter, and B. Bharadwaj . . 95

An effective conscious animal model of atrial fibrillation: J. R. Whittington, M. R. Cross, and E. B. Raftery 105

Dynamic changes in the haemodynamic severity of coronary artery stenosis in a canine model: P. Walinsky, W. P. Santamore, L. Wiener, and A. N. Brest . . . 113

Opposing effects of deoxycorticosterone and spironolactone on isoprenaline-induced myocardial infarction: Bernard C. Wexler 119

No. 3 MARCH, 1979

Afterload as a predeterminant of haemodynamics and segmental wall motion following coronary artery occlusion: Earnest L. Fallen, W. Scott Beattie, Gordon A. Tait, and John A. Cairns 127

Left ventricular dysfunction of isolated working rat hearts after chronic alcohol consumption: Leigh D. Segel, Stephen V. Rendig, and Dean T. Mason . . . 136

Factors determining delayed peak flow in canine myocardial reactive hyperaemia: Ronald F. Bellamy, Howard S. Lowensohn, and Ray A. Olsson . . . 147

Comparison of the arrhythmogenic effect of myocardial infarction in the cat and dog: Robert D. Reynolds, Gerald J. Kelliher, David M. Ritchie, Jay Roberts, and Andrew B. Beasley 152

Augmentation of collateral blood flow to the ischaemic myocardium by oxygen inhalation following experimental coronary artery occlusion: Lair G. T. Ribeiro, Eric K. Louie, Michael A. Davis, and Peter R. Maroko 160

Fibroblast function and the maintenance of the aortic-valve matrix: A. W. M. Van der Kamp, and J. Nauta 167

The effects of alpha-methyldopa on cardiac hypertrophy in spontaneously hypertensive rats: ultrastructural, stereological, and morphometric analysis: Robert J. Tomanek, James W. Davis, and Steven C. Anderson 173

No. 4 APRIL, 1979

REVIEW: Left ventricular load, arterial impedance and their interrelationship: Mark I. M. Noble 183

The cat as a model for myocardial infarction: David M. Ritchie, Gerald J. Kelliher, Annette Macmillan, Walter Fasolak, Jay Roberts, and Sunder Mansukhani . . 199

Temporal changes in endocardial energy metabolism following propranolol and the metabolic basis for protection against isoprenaline cardiotoxicity: Galen M. Pieper, Franklin C. Clayton, Gordon L. Todd, and Robert S. Eliot 207

Resistance of contracting myocardium to swelling with hypoxia and glycolytic blockade: Michael B. Pine, James B. Caulfield, Oscar H. L. Bing, Wesley W. Brooks, and Walter H. Abelmann 215

Effects of temperature on chronotropic and inotropic responses of isolated canine atria to five sympathomimetic amines: Yasuyuki Furukawa, Miyoharu Kobayashi, and Shigetoshi Chiba. 225

Instruments and Techniques

Spectrophotometric determination of oxygen saturation of blood independent of the presence of indocyanine green: G. A. Mook, Anneke Buursma, Alie Gerding, G. Kwant, and W. G. Zijlstra 233

A system oriented electrocardiographic amplifier: John W. Cox, Jr., Joseph S. Laughter, Jr., Charles W. Brandon III, Francis W. Keller, Robert F. Dowdie, Harry A. Phillips, and David M. Mirvis 238

Book Reviews and Activities 242

No. 5 MAY, 1979

Effects of adenine nucleotides on calcium binding by rat heart sarcoplasmic reticulum: Somsong Penpargkul 243

Effects of heparin and protamine on left ventricle performance in the dog: J. A. Marin-Neto, M. K. Sykes, J. L. B. Marin, C. Orchard, and M. K. Chakrabarti . . 254

Myocardial subcellular fractionation studies on cardiomyopathic Syrian hamsters: D. H. Fitchett, J. Scott, H. R. Stephens, and T. J. Peters 260

Role of angiotensin II in the development of peripheral vasoconstriction during cardiopulmonary bypass: Kenneth M. Taylor, John J. Brannan, William H. Bain, Philip K. Caves, and Iain J. Morton 269

Fallibility of the epicardial electrocardiogram in quantitation of myocardial necrosis: A. Sniderman, L. Mickleborough, I. Huttner, N. Poirier, and J. Symes . . 274

Effects of nitroglycerin and dipyridamole on acute myocardial infarction: a thermographic study in the dog: Arne Malm, Mans Arborelius Jr., Bo Lilja, Ramon Lillo Gil, and Siv Bornmyr 281

Electrophysiological actions of mexiletine on isolated rabbit atria and canine ventricular muscle and Purkinje fibres: Iwao Yamaguchi, Bramah N. Singh, and William J. Mandel 288

Extracellular potassium activity changes in the canine myocardium after acute coronary occlusion and the influence of beta-blockade: V. Wiegand, M. Guggi, W. Meesmann, M. Kessler, and F. Greitschus 297

No. 6 JUNE, 1979

Effect of mexiletine on monophasic action potentials recorded from the right ventricle in man: Richard W. Harper, S. Bertil Olsson, and E. Varnauskas . . . 303

Effect of mexiletine on conduction of premature ventricular beats in man: a study using monophasic action potential recordings from the right ventricle: Richard W. Harper, and S. Bertil Olsson 311

Coupling interval, exit block, and periodicity of ventricular parasystolic rhythm: C. W. Vellani, Alan Murray, and James M. Neilson 320

Comparison of regional myocardial blood flow measurements with ^{133}Xe and radioactive microspheres in dogs with coronary artery constrictions: Robert R. Sciacca, Melvin B. Weiss, David K. Blood, Deborah L. Brennan, and Paul J. Cannon . 330

Post-extrasystolic left ventricular peak pressure with and without left ventricular failure: J. P. Merillon, G. Motte, M. C. Aumont, C. Masquet, Y. LeCarpentier, and R. Gourgon 338

Release of alpha hydroxybutyrate from neonatal rat heart cell cultures exposed to anoxia and reoxygenation: comparison with impairment of structure and function of damaged cardiac cells: Arnoud van der Laarse, Leny Hollaar, and Lizet J. M. van der Valk 345

Electrophysiological effects of ethmozin on canine myocardium: Rodolphe Ruffy, Leonid V. Rozenshtraukh, Victor Elharrar, and Douglas P. Zipes . . . 354

Activities and Book Reviews 364

No. 7 JULY, 1979

The effect of myocardial force on coronary transmural flow distribution: Gerald A. Klassen and Danuta T. Zborowska-Sluis 365

Selection of saphenous vein bypass graft diameter to support patency of the stenosed coronary artery: Samuel E. Moskowitz, Basil S. Lewis, Simcha Milo, and Reuven Amar 370

Augmentation of cyclic AMP content induced by lysophosphatidyl choline in rabbit hearts: G. G. Ahumada, S. R. Bergmann, E. Carlson, P. B. Corr, and B. E. Sobel . 377

Acute voltage, charge, and energy thresholds as functions of electrode size for electrical stimulation of the canine heart: Fred W. Lindemans, and Ariaen N. E. Zimmerman 383

Effect of increases in afterload before and after coronary occlusion in awake dogs: Franklin L. Rosenfeldt, Frederick R. Cobb, Robert J. Bache, and David C. Sabiston Jr. 392

Myocardial anaerobic metabolism during isoprenaline infusion in a cyanotic animal model: possible cause of myocardial dysfunction in cyanotic congenital heart disease: Thomas P. Graham, Jr., Harold G. Erath, Jr., Glen S. Buckspan, and R. Darryl Fisher 401

Dissociation of effects of nitroglycerin on regional refractoriness and regional myocardial blood flow following acute coronary occlusion: Stephen P. Michaelson, William P. Batsford, and Barry L. Zaret 407

Coronary artery pressure development and wave transmission characteristics in the horse: John A. Rumberger, Jr., Robert M. Nerem, and William W. Muir . . 413

Instruments and Techniques

A computerised dichromatic earpiece densitometer for the measurement of cardiac output: P. S. Robinson, A. Crowther, B. S. Jenkins, M. M. Webb-Peploe, and D. J. Coltart 420

No. 8 AUGUST, 1979

Editorial: Change in Style 427

Instructions to Authors 429

Comparative effects of lignocaine and lorcainide on conduction in the Langendorff-perfused guinea pig heart: E. Carmeliet and M. Y. Zaman 439

Isoprenaline-induced myocardial infarction in spontaneously hypertensive rats: B. C. Wexler 450

Myocardial blood flow and O_2-supply following dextran-haemodilution and methaemoglobinaemia in the dog: G. P. Biro and D. Beresford-Kroeger . . . 459

Pulmonary and systemic vascular responses in hypoxia after chemical sympathectomy: Alan Tucker 469

Demonstration of dissimilar acute haemodynamic effects of ethanol and acetaldehyde: Howard S. Friedman, Shohei Matsuzaki, Soo-Sang Choe, Hemal A. Fernando, Alvaro Celis, Qamar Zaman, and Charles S. Lieber 477

No. 9 SEPTEMBER, 1979

Excitation-contraction coupling in normal and myopathic hamster hearts I: identification of a calcium pool involved in contraction: Tony S. Ma, and Leslie E. Bailey . 487

Excitation-contraction coupling in normal and myopathic hamster hearts II: changes in contractility and Ca pools associated with development of the cardiomyopathy: Tony S. Ma, and Leslie E. Bailey 499

Electrocardiographic changes in vitamin B_6 deficient rats: D. A. Mulvaney and J. Seronde, Jr. 506

Alterations in left ventricular relaxation and diastolic compliance in congestive cardiomyopathy: William Grossman, Lambert P. McLaurin, and Ellis L. Rolett . . 514

Rapid activation of the sympathetic nervous system following coronary artery occlusion: relationship to infarct size, site, and haemodynamic impact: Ronald P. Karlsberg, Patricia A. Penkoske, Philip E. Cryer, Peter B. Corr, and Robert Roberts . 523

Analytical subcellular fractionation of human heart: a comparison of left and right ventricle with hypertrophic obstructive myopathic tissue: D. H. Fitchett, G. Wells, and T. J. Peters 532

Endothelial injury of arteries following catheterisation with polyethylene tubes: experimental studies on rabbit aorta using the Seldinger technique: J. Kyst Madsen, C. Garbarsch, and P. E. Nielsen 541

No. 10 OCTOBER, 1979

REVIEW: Capillary filtration coefficient: the technique and its application to the small intestine: P. D. I. Richardson, D. N. Granger, and A. E. Taylor . . . 547

Sub-mitochondrial and sub-microsomal distribution of creatine kinase in guinea pig myocardium: Edward A. Ogunro, T. J. Peters, G. Wells, and D. J. Hearse . . 562

Excitation-contraction coupling in normal and myopathic hamster hearts III: functional deficiencies in interstitial glycoproteins: Tony S. Ma, James C. Baker, and Leslie E. Bailey 568

Estimation of circulatory parameters in patients with acute myocardial infarction: significance for calculation of enzymatic infarct size: G. M. Willems, A. M. M. Muijtjens, F. H. H. Lambi, and W. Th. Hermens 578

Prophylaxis of ventricular fibrillation after acute experimental coronary occlusion by chronic beta-adrenoceptor blockade with atenolol: U. Menken, V. Wiegand, P. Bucher, and W. Meesmann 588

An *in vivo* study of the total occlusion method for the analysis of forward and backward pressure waves: D. L. Newman, S. E. Greenwald, and N. L. R. Bowden . . 595

Instruments and Techniques

A chronically implantable catheter-tip micromanometer (JSI 0400) that can be calibrated after implantation: F. Smet, J. D'Aubioul, W. van Gerven, R. Xhonneux, and R. S. Reneman 601

Erratum 606

Book Reviews 606

No. 11 NOVEMBER, 1979

Flow in the thoracic aorta: S. Farthing and P. Peronneau 607

Degradation of canine cardiac myosin and actin by cathepsin D isolated from homologous tissue: Edward A. Ogunro, Richard B. Lanman, Julia R. Spencer, Alan G. Ferguson, and Michael Lesch 621

Cardiac consequences and treatment of disopyramide intoxication: experimental evaluation in dogs: Barry O'Keeffe, Angela M. Hayler, David W. Holt, and Richard K. Medd 630

Regional ^{99m}technetium diphosphate uptake in experimental dog heart infarcts: relation to duration and severity of ischaemia: Thomas Peter, R. M. Norris, M. K. Heng, and N. L. Sammel 635

Wall stress measurements in non-beating canine hearts: application of a method tested in rubber models: Roelof M. Huisman, Pieter Sipkema, Nicolaas Westerhof, and Gijs Elzinga 642

Reliability of the maximum derivatives of left ventricular pressure and internal diameter as indices of the inotropic state of the depressed myocardium: G. E. Barnes, L. D. Horwitz, and V. S. Bishop 652

Measurement of haemolysis in patients with prosthetic heart valves: J. A. F. Napier, I. Cavill, and C. Ricketts 663

Book Reviews 666

No. 12 DECEMBER, 1979

Blood flow in pulmonary veins: I Studies in dog and man: B. Rajagopalan, J. A. Friend, T. Stallard, and G. de J. Lee 667

Blood flow in pulmonary veins: II The influence of events transmitted from the right and left sides of the heart: B. Rajagopalan, J. A. Friend, T. Stallard, and G. de J. Lee . 677

Blood flow in pulmonary veins: III Simultaneous measurements of their dimensions, intravascular pressure and flow: B. Rajagopalan, C. D. Bertram, T. Stallard, and G. de J. Lee 684

Role of glycolytic flux in effect of glucose in decreasing fatty-acid-induced release of lactate dehydrogenase from isolated coronary ligated rat heart: Lionel H. Opie and Owen L. Bricknell. 693

Sequence of shortening of the normal human left ventricle: Eduardo A. Nogueira, Silvio S. Carvalhal, Paulo A. R. Jorge, Luiz A. K. Bittencourt, and Renatog G. Terzi 703

Antiarrhythmic effects of solvents: II Effects of propylene glycol and benzyl alcohol on the effective refractory period of isolated rabbit atria: Wilson J. Yasaka, Frantisek W. Eichbaum, and Seizi Oga 711

Antiarrhythmic effects of solvents: III Effects of propylene glycol and benzyl alcohol on contractile force of isolated rabbit heart: Wilson J. Yasaka, Frantisek W. Eichbaum and Seizi Oga 717

Altered inotropic and chronotropic effects of noradrenaline on isolated rat atria exposed to chagasic sera. Influences of cocaine, normetanephrine and U-0521 (3′-4′-dihydroxy-2-methyl propiophenone: A. L. Gimeno, M. F. Gimeno, L. Sterin-Borda, P. M. Cossio, N. Sterin-Speziale, C. Diez, S. M. Seara, and R. M. Arana . . 723

Activities 732

Volume Index 733